## 1. MATERIALS & FINISHES

- A. STAINLESS STEEL, BRASS, AND BRONZE ARE AVAILABLE IN #8 MIRROR, #6 SATIN, #4 SATIN, OR NON-DIRECTIONAL (ANGEL HAIR)
  FINISH. DAWSON DOES NOT PROVIDE LACQUERED FINISH ON BRASS OR BRONZE PRODUCTS. WET PAINTED OR POWDER
  COATED DOORS WILL BE FABRICATED FROM GALVANNEALED STEEL. CONSULT FACTORY FOR CUSTOM FINISHES.
- B. STAINLESS STEEL AND PAINTED GALVANNEALED STEEL RUGGED SERIES DOORS TO BE FABRICATED WITH 11 GA DOOR PANS AND 14 GA INTERNAL COMPONENTS. GLASS STOPS TO BE FABRICATED FROM 14 GA MATERIAL.
- C. BRASS AND BRONZE RUGGED SERIES DOORS TO BE FABRICATED WITH .120" DOOR PANS AND .090" INTERNAL COMPONENTS. GLASS STOPS TO BE FABRICATED FROM .060" MATERIAL.
- D. STAINLESS STEEL AND PAINTED GALVANNEALED STEEL FRAMES AND DOOR STOPS TO BE FABRICATED FROM 13 GA MATERIAL.

  TRANSOM AND SIDELITE GLASS STOPS TO BE FABRICATED FROM 14 GA MATERIAL.
- E. BRASS AND BRONZE FRAMES AND DOOR STOPS TO BE FABRICATED FROM .090" MATERIAL. TRANSOM AND SIDELITE GLASS STOPS TO BE FABRICATED FROM .060" MATERIAL.

## 2. STANDARD DIMENSIONS

- A. DOORS HAVE A MINIMUM TOP RAIL OF 4". STILE AND RAIL DOORS HAVE A MINIMUM STILE WIDTH OF 2 \( \frac{3}{4} \)". ALL DOORS HAVE A STANDARD BOTTOM RAIL DIMENSION OF 10" TO MEET ADA CODE. MINIMUM BOTTOM RAIL OF 6" WILL NOT MEET ADA. MINIMUM DIMENSIONS SUBJECT SUBJECT TO CHANGE BASED ON HARDWARE CONSULT FACTORY.
- B. FRAME PROFILES HAVE A MINIMUM SIZE OF 1" FACE x 4  $\frac{1}{2}$ " DEPTH. MINIMUM DIMENSIONS SUBJECT TO CHANGE BASED ON HARDWARE AND ASPECT RATIO OF FRAME. CONSULT FACTORY FOR CUSTOM SIZES.
- C. SEE GLAZING DETAILS FOR STANDARD GLASS POCKET AND STANDARD GLASS BITE. CONSULT FACTORY FOR CUSTOM GLASS POCKET OR CUSTOM GLASS BITE.
- E. DOOR STOPS FABRICATED  $\frac{5}{8}$ " HIGH STANDARD, VARYING WITH HARDWARE REQUIREMENTS. WIDTH VARIES AS REQUIRED. CONSULT FACTORY FOR CUSTOM SIZES AND PROFILES.
- F. MINIMUM OFFSET PIVOTED DOOR WIDTH TO MEET ADA MINIMUM OF 32" CLEAR OPENING IS 35  $\frac{1}{2}$ ". MINIMUM SIZE OF DOOR SUBJECT TO CHANGE BASED ON HARDWARE REQUIREMENTS.

## 3. HARDWARE


- A. STANDARD PIVOT CENTERLINE IS  $\frac{3}{4}$ " FROM THE DOOR OPENING,  $\frac{3}{4}$ " OFF THE FACE OF THE DOOR. CONSULT FACTORY FOR CUSTOM PIVOT CENTERLINE.
- B. MOST CLOSER MANUFACTURERS RECOMMEND AN AUXILIARY STOP TO PREVENT DAMAGE TO THE CLOSER. PLEASE SPECIFY A MANUFACTURER AND MODEL OF A SURFACE MOUNTED, CONCEALED (WHERE APPLICABLE), OR FLOOR / WALL STOP.
- C. OFFSET PIVOTS REQUIRE (1) INTERMEDIATE PIVOT FOR DOORS FROM 60" TO 90" TALL. AN ADDITIONAL INTERMEDIATE PIVOT IS REQUIRED FOR EACH ADDITIONAL 30". INTERMEDIATE PIVOTS TO BE EQUALLY SPACED IN THE DOOR OPENING UNLESS OTHERWISE SPECIFIED.
- D. IN SOME CASES WHERE A TOP PIVOT CANNOT BE USED DUE TO HARDWARE LIMITATIONS, AN ADDITIONAL INTERMEDIATE PIVOT WILL BE USED TO ACT AS A TOP PIVOT.

|--|

DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	NOTES 1


DESCRIPTION: | GENERAL NOTES FOR

GENERAL NOTES FOR 003 CUSTOM SERIES DOORS WITH OFFSET PIVOTED HARDWARE



DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	EL-FC-PAIR
DESCRIPTION:	ELEVATION - STILE AND RAIL CUSTOM SERIES OFFSET PIVOTED DOORS WITH FLOOR CLOSERS		

PIVOTED DOORS WITH FLOOR CLOSERS





825 ALLEN ST • JAMESTOWN, NY 14701 • (716) 664-3811 • WWW.DAWSONDOORS.COM

DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	EL-SAO-SIN

DESCRIPTION:

ELEVATION - STILE AND RAIL CUSTOM SERIES OFFSET PIVOTED DOORS WITH SURFACE MOUNTED AUTOMATIC OPERATOR







|--|


DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	30PTRFS50
DESCRIPTION:	HEADER / TOP F	P RAIL - CUSTOM SERIES OFFSET PIVOTED	


DOORS



	DRAWN BY:	JBL	DRAWING DATE:	12/4/19
	SERIES #:	003-OP	DRAWING #:	30CBNFS50
	DECODIDION	BOTTOM RAIL / FL	OOR CLOSER - CUST	
825 ALLEN ST • JAMESTOWN, NY 14701 • (716) 664-3811 • WWW.DAWSONDOORS.COM	DESCRIPTION:			PIVOTED DOORS - NO THRESHOLD -








DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	30PPSFS50
DESCRIPTION:	JAMB / PIVOT S	TILE - CUSTOM SERIE	S OFFSET PIVOTED


DOORS



·

DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	30PMSFS50
DESCRIPTION:	MEETING STILES - CUSTOM SERIES OFFSET PIVOTED		


DOORS



•	


DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	30PLSFS50
DESCRIPTION:	LOCK JAMB / STILE - CUSTOM SERIES OFFSET PIVOTED		

DOORS



825 ALLEN ST ◆ JAMESTOWN, NY 14701 ◆ (716) 664-3811 ◆ WWW.DAWSONDOORS.COM

DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	FXXTHAS50
DESCRIPTION:	TRANSOM HEADER WITH APPLIED STOPS		




|--|

DRAWN BY:		DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	30PTHFS50
	LIFADED / TOD DAIL CUSTOM SERVES OFFSET DIVOTED		


DESCRIPTION:

HEADER / TOP RAIL - CUSTOM SERIES OFFSET PIVOTED DOORS WITH TRANSOM ABOVE WITH APPLIED STOPS




|--|

DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	FXXTZAS50
DESCRIPTION:	SIDELITE BELOW &	TRANSOM ABOVE W	TH APPLIED STOPS




825 ALLEN ST • JAMESTOWN, NY 14701 • (716) 664-3811 • WWW.DAWSONDOORS.COM

DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	FXXSSAS50
DESCRIPTION:		SIDELITE SILL W	ITH APPLIED STOPS




DAWSONJDORS	
825 ALLEN ST • JAMESTOWN, NY 14701 • (716) 664-3811 • WWW.DAWSONDOORS.COM	

DRAWN BY:	JBL	DRAWING DATE:	12/4/19	
SERIES #:	003-OP	DRAWING #:	FXXTWAS50	
DESCRIPTION:		TRANSOM JAMB WITH APPLIED STOPS		



DAWSONDOORS
•

DRAWN BY:	JBL	DRAWING DATE:	12/4/19
SERIES #:	003-OP	DRAWING #:	FXXTVAS50
DESCRIPTION:	TI	RANSOM MULLION W	ITH APPLIED STOPS



	DRAWN BY:	JBL	DRAWING DATE:	12/4/19
	SERIES #:	003-OP	DRAWING #:	30PSMAS50
		IAMB / PIVOT STILE / SIDELITE MULLION - CUSTOM SER		

OFFSET PIVOTED DOORS WITH FIXED FLAT GLAZING. JAMB
TREATED AS SIDELITE MULLION